

AD3E

Composition per ml:

Vitamin A, retinol-palmitate	20 000 IU
Vitamin D3 cholecaliferol	6 000IU
Vitamin E , a-tocopherol acetate	60 mg
Solvents ad	1 ml

Indication:

- Prevention of vitamin A, vitamin D3, vitamin E and vitamin C deficiencies in farm animal.
- Prevention of strees.
- Improvement of feed conversion

Dosage and administration:

For oral administration through drinking water.

Calves, goats and sheep : 1 ml per 40 kg body weight for 3-5 days. Cattle : 1 ml per 80 kg body weight for 3-5 days.

Poultry : 1 liter per 4000 liter drinking water for 3-5 days.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:



AD3EC

Composition per ml:

Vitamin A, retinol-palmitate	50 000 IU .
Vitamin D3 cholecaliferol	10 000IU .
Vitamin E , a-tocopherol acetate	20 mg .
Vitamin C	50 mg .
Solvents ad	1 ml .

Indication:

- Prevention of vitamin A, vitamin D3, vitamin E and vitamin C deficiencies in farm animal.
- Prevention of strees.
- Improvement of feed conversion

Dosage and administration:

For oral administration through drinking water.

Calves, goats and sheep : 1 ml per 40 kg body weight for 3-5 days. Cattle : 1 ml per 80 kg body weight for 3-5 days.

Poultry : 1 liter per 4000 liter drinking water for 3-5 days.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:



World AD3E

Composition per ml:

Vitamin A, retinol-palmitate	20 000 IU
Vitamin D3 cholecaliferol	6 000IU
Vitamin E , a-tocopherol acetate	60 mg
Solvents ad	1 ml

Indication:

- Prevention of vitamin A, vitamin D3, vitamin E and vitamin C deficiencies in farm animal.
- Prevention of strees.
- Improvement of feed conversion

Dosage and administration:

For oral administration through drinking water.

Calves, goats and sheep : 1 ml per 40 kg body weight for 3-5 days. Cattle : 1 ml per 80 kg body weight for 3-5 days.

Poultry : 1 liter per 4000 liter drinking water for 3-5 days.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:



World Chol 80

Composition per ml:

Choline chloride	600 mg
Carrier	1 ml

Indication:

- Prevention of choline deficiencies in Calvs, goate, poultry, sheep farm animal.

Dosage and administration:

For oral administration

Calves, goats and sheep: 1 ml per 40 kg body weight

for 3-5 days.

Poultry : 1 liter per 4000 liter drinking water

for 3-5 days.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:

Bottle 1000 ml and jerrycan 5000 ml.



World D Plus

Composition per ml:

Vitamin D3 (cholecalciferol)	. 40000 IU .
Calcium (Calcium chloride 36%)	3 mg .
Phosphorus (phosphoric acid 31.6%)	10 mg .
Manganese (Manganese sulphate monohydrate 30%) 1.5 mg .
Propylene glycol	5 mg .
Water (Carrier) up to	1 ml .

Indication:

- Prevention of mineral & vitamins deficiencies in farm animal.

Dosage and administration:

Poultry: $0.5 \, \text{ml}$ / liter of drinking water for 3-5 days. Cattle: $1 \, \text{ml}$ / $100 \, \text{kg}$ of body weight for 3-5 days.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:

Bottle 100 ml, 250 ml, 500 ml 1 liter & 5 liter.



WORLD Mineral

Composition per ml:

Phosphorus	140 mg .
Calcium	13.6 mg .
Magnesium	9 mg .
Iron	
Sodium	10 mg .
Potassium	8 mg .
Manganese	5 mg .
Zinc	5 mg .
Copper	1 mg .
Cobalt	12 μg .
Solvents ad	1 ml .

Indication:

- Prevention of mineral deficiencies in farm animal.
- Prevention of strees
- Improvement of feed conversion

Dosage and administration:

For oral administration through drinking water.

Cattle, Calves, goats, and sheep: 15-30 ml per animal for 7 days (dilute 15 ml per 1.5 liter drinking water).

Rabbit: 1 ml per animal for 7 days (dilute 1 ml per 100 ml drinking water).

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures

Pack sizes: