



HRC

Composition per kg :

Vitamin B1	9 gm .
Vitamin B2	2.1 gm .
Vitamin B6	1.95 gm .
Vitamin PP (Niacin)	35 gm .
Vitamin C	50 gm .
Sorbitol	90 gm .
Magnesium (Magnesium sulphate 20%)	45 gm .
Sodium (Sodium sulphate 40%)	80 gm .
Colloidal silica	5 gm .
Dextrose completed till.....	.1 kg .

Indication:

- Prevention of fatty liver in poultry.
- Magnesium , Sodium & vitamin B supplement.

Dosage:

Poultry : 1gm / 1 liter of drinking water.

Storage:

Keep the product in well ventilated place away from direct sun light .

Pack sizes:

100 gm, 150 gm, 250 gm, 500 gm and 1 kg.



World C 100

Composition per 1 kg:

Ascorbic acid (99%) 1000 g .

Indication:

Used in cases of heat stress and vit C deficiency.

Dosage and administration:

For oral administration .

Poultry : 200 gm per ton of feed or 15 – 30 gm per 100 liter drinking water for 5-10 day.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures

Pack sizes:

500 gm, 1 kg, 5 kg, 10 kg, 20 kg, 25 kg, 200 kg.



World K20

Composition per 1 kg:

Menadione sodium bisulfite (51%)..... 200 g (contains 100 g menadione)
Carrier : Lactose up to 1 kg.

Indication:

Prevention of vitamin K deficiency.

Dosage and administration:

For oral administration .

Poultry : 1 gm per 1 liter of drinking water for 3-21 day.

Storage:

Keep the product in well sealed bottles and protect from sun light and high temperatures.

Pack sizes:

500 gm, 1 kg, 5 kg, 10 kg, 25 kg, 200 kg.